



DAE

Serial Number: 10/772,346

Appn. Filed:

applicant(s): ABRAM ELLISON

Appn. Title: (Ammended to), All Electric Battery Driven Vehicle, from, Perpetual Motion Energy.

Examiner/GAU Yahveh Comas

This application qualifies for Petition to Revive if Delay was "unavoidable" (rule137(a):
I was unable to continue prosecuting this application because I was having cancer treatment (See Document from Ocology Doctor) I was mentally and physically unable to continue prosecuting this application

Thanks Sincerely,
Abram Ellison

Abram E. Ellison



UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

| | |
|------------------------|-----------------------------------|
| Attorney Docket No. | |
| First Inventor | Abram Ellison |
| Title | In-house Battery Driven Generator |
| Express Mail Label No. | |

| | | | | |
|---|---|----------|-----------------------------------|----------|
| APPLICATION ELEMENTS <i>See MPEP chapter 600 concerning utility patent application contents.</i> | ADDRESS TO: Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450 | | | |
| <div>1. <input checked="" type="checkbox"/> Fee Transmittal Form (e.g., PTO/SB/17) <i>(Submit an original and a duplicate for fee processing)</i></div> <div>2. <input checked="" type="checkbox"/> Applicant claims small entity status. <i>See 37 CFR 1.27.</i></div> <div>3. <input checked="" type="checkbox"/> Specification [Total Pages <u>5</u>] <i>Both the claims and abstract must start on a new page. (For information on the preferred arrangement, see MPEP 608.01(a))</i></div> <div>4. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets <u>1</u>]</div> <div>5. Oath or Declaration [Total Sheets <u>1</u>] a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input checked="" type="checkbox"/> A copy from a prior application (37 CFR 1.63(d)) <i>(for continuation/divisional with Box 18 completed)</i> i. <input type="checkbox"/> DELETION OF INVENTOR(S) <i>Signed statement attached deleting inventor(s) name in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).</i></div> <div>6. <input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76</div> <div>7. <input type="checkbox"/> CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix) <input type="checkbox"/> Landscape Table on CD</div> <div>8. Nucleotide and/or Amino Acid Sequence Submission <i>(if applicable, items a. - c. are required)</i> a. <input type="checkbox"/> Computer Readable Form (CRF) b. <input type="checkbox"/> Specification Sequence Listing on: i. <input type="checkbox"/> CD-ROM or CD-R (2 copies); or ii. <input type="checkbox"/> Paper c. <input type="checkbox"/> Statements verifying identity of above copies</div> | ACCOMPANYING APPLICATION PARTS <div>9. <input type="checkbox"/> Assignment Papers (cover sheet & document(s)) Name of Assignee _____</div> <div>10. <input type="checkbox"/> 37 CFR 3.73(b) Statement <input type="checkbox"/> Power of Attorney <i>(when there is an assignee)</i></div> <div>11. <input type="checkbox"/> English Translation Document (if applicable)</div> <div>12. <input type="checkbox"/> Information Disclosure Statement (PTO/SB/08 or PTO-1449) <input type="checkbox"/> Copies of citations attached</div> <div>13. <input type="checkbox"/> Preliminary Amendment</div> <div>14. <input type="checkbox"/> Return Receipt Postcard (MPEP 503) <i>(Should be specifically itemized)</i></div> <div>15. <input type="checkbox"/> Certified Copy of Priority Document(s) <i>(if foreign priority is claimed)</i></div> <div>16. <input type="checkbox"/> Nonpublication Request under 35 U.S.C. 122(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or equivalent.</div> <div>17. <input type="checkbox"/> Other: _____</div> | | | |
| 18. If a CONTINUING APPLICATION , check appropriate box, and supply the requisite information below and in the first sentence of the specification following the title, or in an Application Data Sheet under 37 CFR 1.76: <input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input type="checkbox"/> Continuation-in-part (CIP) of prior application No.: _____ Prior application information: Examiner _____ Art Unit _____ | | | | |
| 19. CORRESPONDENCE ADDRESS | | | | |
| <input type="checkbox"/> The address associated with Customer Number: _____ OR <input checked="" type="checkbox"/> Correspondence address below | | | | |
| Name | ABRAM ELLISON | | | |
| Address | 19925 LAUDER | | | |
| City | DETROIT | State | MI. | |
| Country | USA | Zip Code | 48235 | |
| Telephone | 3133455359 | Email | www.abrellis3@aol.com | |
| Signature | <i>Abram Ellison</i> | | Date | 12/26/07 |
| Name (Print/Type) | ABRAM ELLISON | | Registration No. (Attorney/Agent) | |

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1480, Alexandria, VA 22313-1480.
If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

1-P-E 1A941
EB 02 2007
U.S. PATENT & TRADEMARK OFFICE

Effective on 12/08/2004.
Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).
FEE TRANSMITTAL
For FY 2006

☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$)

Complete if Known

| | |
|----------------------|----------------|
| Application Number | |
| Filing Date | 1/26/07 |
| First Named Inventor | ABRAM ELLISON |
| Examiner Name | CHAU N. NGUYEN |
| Art Unit | 2831 |
| Attorney Docket No. | |

METHOD OF PAYMENT (check all that apply)

☐ Check ☐ Credit Card ☒ Money Order ☐ None ☐ Other (please identify): _____

☐ Deposit Account Deposit Account Number: _____ Deposit Account Name: _____

For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)

☐ Charge fee(s) indicated below ☐ Charge fee(s) indicated below, except for the filing fee

☐ Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17 ☐ Credit any overpayments

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

FEE CALCULATION

1. BASIC FILING, SEARCH, AND EXAMINATION FEES

| Application Type | FILING FEES | | SEARCH FEES | | EXAMINATION FEES | | Fees Paid (\$) |
|------------------|-------------|-----------------------|-------------|-----------------------|------------------|-----------------------|----------------|
| | Fee (\$) | Small Entity Fee (\$) | Fee (\$) | Small Entity Fee (\$) | Fee (\$) | Small Entity Fee (\$) | |
| Utility | 300 | 150 | 500 | 250 | 200 | 100 | 250 |
| Design | 200 | 100 | 100 | 50 | 130 | 65 | |
| Plant | 200 | 100 | 300 | 150 | 160 | 80 | |
| Reissue | 300 | 150 | 500 | 250 | 600 | 300 | |
| Provisional | 200 | 100 | 0 | 0 | 0 | 0 | |

2. EXCESS CLAIM FEES

Fee Description

Each claim over 20 (including Reissues)

Fee (\$)

Small Entity Fee (\$)

Each independent claim over 3 (including Reissues)

50

25

Multiple dependent claims

200

100

360

180

Total Claims

Extra Claims

Fee (\$)

Fee Paid (\$)

Multiple Dependent Claims

Fee (\$)

Fee Paid (\$)

- 20 or HP =

x

=

=

HP = highest number of total claims paid for, if greater than 20.

Indep. Claims

Extra Claims

Fee (\$)

Fee Paid (\$)

- 3 or HP =

x

=

=

HP = highest number of independent claims paid for, if greater than 3.

3. APPLICATION SIZE FEE

If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).

Total Sheets

Extra Sheets

Number of each additional 50 or fraction thereof

Fee (\$)

Fee Paid (\$)

- 100 =

/ 50 =

(round up to a whole number) x

=

=

4. OTHER FEE(S)

Non-English Specification, \$130 fee (no small entity discount)

Fees Paid (\$)

Other (e.g., late filing surcharge):

SUBMITTED BY

| | | | |
|-------------------|----------------------|--------------------------------------|------------------------|
| Signature | <i>Abram Ellison</i> | Registration No. (Attorney/Agent) | Telephone 313-345-5359 |
| Name (Print/Type) | ABRAM ELLISON | Date | 1/26/07 |

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

The PTO did not receive the following listed item(s) Money Order



Patent Application Title: In-House Battery Driven generator

Cross-reference to Related Application

The present application is based on:

Patent No.: US 6,664,475 B1, issued on Dec. 16, 2003.

Primary Examiner-Chau N. Nguyen

Application No. 10/337,839, filed on Jan. 8, 2004.

Application No. 10/772,346, filed on 02/06/2005

Provisional application No. 60/345610, filed on Jan. 4, 2002

Background of the Invention

The intention of the present invention is to replace oil, gas, and coal as major sources of energy, by replacing them with battery power generator. Furthermore it is the intention of the present invention is to provide efficient, reliable energy for a Electric In-house generator to provide heat and electric energy for residential and commercial buildings. Furthermore, and more particularly, the present invention relates to a circuit for a battery

driven motor showing how: two or more batteries transmit electric current and amps. to a Electric Wire

Distributor Connector; the distributor sends electric current and amps. to a electric motor ; the electric motor rotates a generator; which charges the batteries and provide heat and electrical energy to commercial and residential

buildings; the distributor also simultaneously recharges each battery with the combined volts and amps. of all the

batteries

battery with the combined energy of all the batteries; percent or more energy back to the batteries to produce electric energy. The batteries do not have to be recharged by any other source. I, and commercial buildings.

2 Description of the Prior Art

It is a feature of the invention to provide an electric wire distributor connector for receiving and distributing

electric current through electric wires, with the connector comprising a connector housing, and a distributor comprising a distributor housing. The connector housing and distributor housing are connected together and are made from a non-conductive material. The electric wire distributor connector housing comprises a detachable top bottom cover placed one on top of the other.

Another feature of the invention is to provide an electric wire distributor connector of the aforementioned type wherein the connector housing and cover define an inlet therebetween for respectively receiving electric wires, a terminal assembly comprising a plurality of mounting blocks attached to the connector base and a plurality of metallic conductors operatively attached to the mounting blocks, one metallic conductor for each mounting block.

Still another feature of the invention is to provide an electric wire distributor connector of the aforementioned type wherein a plurality of metallic extension rods are provided, each having a pair of ends, one extension rod for each of the metallic conductors, with one end of each extension rod being attached to a corresponding metallic conductor; and a plurality of spaced apart metallic distributors placeably one above the other with the other end of the extension rod attached to a corresponding distributor to transfer current from the metallic conductors to the distributors and vice versa, connector of the aforementioned type wherein exposed ends of the electric wires are placed between the U-shaped members and the tops of the metallic conductors and

thereafter the threaded fasteners are tightened to releasably attach the wires to the metallic conductors.

Another further feature of the invention is to provide an electric wire distributor connector of the aforementioned type wherein the threaded fasteners of the terminal assembly form the clamping members, with the exposed ends of the wires wrapped around the threaded fasteners and the threaded fasteners are then tightened to clamp the ends of the wires against the metallic conductors.

Another further feature of the invention is to provide an electric wire distributor connector of the
aforementioned

type wherein the distributor housing can have a circumferentially extending wall projecting upwardly
from said

distributor housing, an opening provided in said wall, with said connector housing received in said
opening and secured

to said distributor housing.

A final feature of the present invention is to provide an electric wire distributor connector of the
aforementioned type wherein there can be one or more connector housings.

BRIEF SUMMARY OF THE INVENTION

A feature of the present invention is one or more batteries transmit electric current, and amps. to a,
Electric Wire Distributor Connector.

Another feature of the present invention is a distributor transmits electric current to a electric motor.

Still a further feature of the present invention is a electric motor provides power, and also rotates
generator.

A further feature of the present invention is a generator

1. A In-house battery driven generator energy circuit for providing continuous Electric and heat
energy for

commercial and residential buildings

two or more electric batteries for providing electric current to a, Electric Wire Distributor
Connector.

2. A Electric Wire Distributor Connector, for transmitting electric current and amperes, to a electric
motor.

3. A electric motor for providing power, and rotating a electric generator.

4. A generator for transmitting electric current to two or more batteries to charge the batteries and provide heat and electrical current to residential buildings.

5. A above said, Electric Wire Distributor Connector, recharge each battery with the combined energy of all the batteries.

Still another feature of the present invention is a Electric Wire Distributor Connector recharges the batteries.

A perpetual motion energy circuit for providing continuous or perpetual motion energy comprising:

two or more electric batteries for providing electric current to a, Electric Wire Distributor Connector.

2. A Electric Wire Distributor Connector, for transmitting electric current and amperes, to a electric motor.

3. A electric motor for providing power, and rotating a electric generator.

4. A generator for transmitting electric current to two or more batteries to charge the batteries.

5. A above said, Electric Wire Distributor Connector, for recycling one hundred

percent or more energy back to the above said batteries to recharge said batteries, with the combined

energy of all the batteries by recycling one hundred percent or more

energy back to the batteries to produce perpetual motion energy.

A further feature of the present is a regulator to regulate the flow of electric current where necessary.

Still another feature of the present invention is A electric battery driven generator can produce heat and electrical energy for commercial and residential buildings

petual motion.

A further feature of the present invention is a generate can provide electricity and heat energy for residential and commercial buildings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 Is the perspective view of the electric circuitry for perpetual motion energy.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

One of the many uses for the electric wire distributor connector is illustrated in the electrical circuit 200 of Fig. 1 where four batteries 202, 204, 206, 208 are illustrated. These batteries, as an example, may be the batteries used to provide power to run an In-house Battery Driven Generator. The current or voltage, and amperes from batteries 202 and 204 is directed to the electric wire distributor connector 100 at terminal assembly 150. Batteries 206 and 208 are directed to terminal assembly 170. One of the assemblies 140 of distributor 100 is connected to and drives a battery driven motor 210 which is in turn connected to and drives a generator 212 by a shaft 213. The generator 212 directs the current or voltage, and amperes to the batteries 202-208 inclusive to recharge the batteries. Terminal assembly 250 distributes electric current or recycle electric current or voltage and, amperes back to batteries 202-208 with the combined volts and amps. of all the batteries. Terminal assembly 250 can also generate electric current or voltage the same as previously mentioned above at 140, 210, 212, 213 to recharge the batteries 202-208 inclusive. The procedures can be repeated as many times as necessary at added terminal assemblies to run the generator continuously

without the batteries being recharged by any other source.

A regulator, preferably electronically controlled, can be used to control the flow of electric current or voltage, and amperes. The controlling device could be installed inside the top cover of the distributor.

Although, the present invention has been described herein with respect to the preferred embodiment thereof, the forgoing description is intended to be illustrative, and not restrictive. Those persons skilled in the art will realize that many modifications of the preferred embodiment could be made which would be operable.

IN THE CLAIMS

I claim:

I. A circuit for providing electric generated energy to provide electricity and heat energy for commercial and residential buildings.

Two or more batteries for providing electric current to a, Electric wire distributor connector.

A Electric wire distributor connector, for transmitting amps. and volts to a motor.

A electric motor for providing power to rotate a generator.

A generator for transmitting electric current to two or more batteries to charge said batteries, and provide electric and heat energy for commercial and residential buildings.

A said, Electric Wire distributor connector, for simeltaineously recharging said batteries with the combined volts and amps. all the batteries.

Above said batteries do not have to be recharged by any other source.

ABSTRACT OF THE DISCLOSURE

In-house Battery Driven Generator, energy can be used to replace oil, gas, and coal as major sources of energy. One of the many uses for In-house Battery Driven energy is illustrated in a electrical

circuit for electric a electric generator to provide electric and heat energy for commercial and residential

buildings showing how: two or more batteries transmit electric current and amps. to a Electric Wire

Distributor Connector; the distributor sends electric current and amps. to a electric motor; the electric

motor provides power, and also rotates a generator; the generator charges two or more batteries and

provide electric and heat energy to the building; the distributor also simultaneously recharges each

battery with the combined volts and amps. of all the batteries.. The batteries do not have to be recharged

by any other source.




FIG. 8